

# exoro

## LAMINATE FLOOR





**AC4**



**IR- 1101 Silver Pecan**



**IR- 1102 Cedar**



**AC4**



**IR- 1103 Hickory**



**IR- 1104 Light Teak**



**AC4**




**IR- 1105 Teak**




**IR- 1106 American Walnut**



**AC4**



**IR- 1107 Walnut**



**IR- 1108 Acacia**



**AC4**



**AL- 1201 Gray Oak**




**AL- 1202 Harvest Oak**



**AC4**




**AL- 1203 Antique Oak**



**AL- 1204 Dark Oak**





- ① Super abrasion resistant and UV protection layer.
- ② Image design layer.
- ③ Impact resistance layer.
- ④ High density fibre board.
- ⑤ Patented click locking system.
- ⑥ Damp proof balancing layer.

### Outstanding Features:



*Stain resistant*



*Easy to maintain*



*Produced from natural sustainable raw materials*



*Scratch resistant*



*No harmful chemical substances*



*Fade resistant*

COLLECTION	THICKNESS	CLASS	SIZE	PCS/BOX	BOX QUANTITY	SUITABLE
IRIS	8.3mm	AC4 / 32	196 x 1215mm	10	2.3814 sq.mtr	HEAVY RESIDENTIAL & GENERAL COMMERCIAL
ALORA	8.3mm	AC4 / 32	238 x 1215mm	8	2.31336 sq.mtr	